

COMPANY SAFETY STATEMENT

ABC Company

Address line 1
Address line 2

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	1

LOGO HERE	ABC Company
	Safety Statement

Contents

PART 1	Company Statement
1.1	Application
1.2	Objectives of the Safety Statement
1.3	Statement Of Intent
1.4	Policy Statement
1.5	Revisions
PART 2	Duties and Responsibilities
2.1	Management control
2.2	Manager 2
2.3	Supervisors
2.4	Employees
2.5	Office Based Staff
2.6	Contractors
PART 3	Arrangements for Safe Working
3.1	Resources
3.2	Safety Induction
3.3	Training
3.4	Safety Consultation
3.5	Safety Representation
3.6	First Aid
3.7	Reporting of Accidents, Diseases and Dangerous Occurrences
3.8	Welfare Facilities
3.9	Personal Protective Equipment
3.10	Smoking Policy
3.11	Drugs and Alcohol Policy
3.12	Bullying Policy
3.13	Young and Inexperienced Workers Policy
PART 4	Hazard Identification and Control Measures
4.1	Hazard Inspections
4.2	Fire
4.3	Access and Egress
4.4	Housekeeping
4.5	Manual Handling
4.6	Electricity
4.7	Offices
4.8	Visual Display Units
4.9	Hazardous Substances
4.10	Ladders

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	2

- 4.11 Equipment and Maintenance
- 4.12 Noise
- 4.13 Safety in customer premises
- 4.14 Driving for work
- 4.15 Pregnancy and new mothers
- 4.16 Violence and Aggression
- 4.17 Light Commercial and mechanical sweeping
- 4.18 Municipal Mechanical Sweeping
- 4.19 Use of trailers
- 4.20 Company Vehicles
- 4.21 Drivers
- 4.22 Exposure to bio aerosols and waste hazards
- 4.23 Hand Arm Vibration
- 4.24 Weather and outdoor working
- 4.25 Lone Worker

PART 5 Annual Report

PART 6 Staff Sign off

PART 7 Appendix

- A1 Accident Report Form
- A2 Safety Inspection sheet
- A3 Staff Suggestion form
- A4 Template Method Statement

PART 8 Related Policies

- Environmental Policy
- Equality Policy

Disclaimer.

This Statement has been prepared with the assistance of www.safety-statements.ie no liability may attach to www.safety-statements.ie arising out of any element of the contents of this statement. It is accepted that Manager 2 is responsible for ensuring the contents adequately reflect the activities of the business.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	3

1.1 APPLICATION

This Safety Statement has been developed to assist ABC Company comply with relevant H&S standards and to ensure that clients and employees are fully aware of ABC Company's commitment to high standards in H&S.

1.2 OBJECTIVES OF THE SAFETY STATEMENT

To provide a reference for the policies and procedures used in house. It is also used to assess and audit the levels of health and safety being achieved.

To provide evidence that the policies and procedures to ensure health and safety objectives are met and have been thought out and documented in order to help those who must execute them.

To provide a control document to record the pertinent changes to the Company Safety Statement, which become necessary due to the changing business environment.

To help identify training requirements that needs to be fulfilled in order to generate suitably qualified personnel to carry out the policies and procedures contained within the document.

To provide assurance that compliance with legal requirements for health and safety are being met or exceeded.

Revision number	Date	Document owner	Approved by	Page number
01	xx / xx / xx	Manager 1	Manager 2	4

1.3 COMPANY SAFETY STATEMENT

The general Statement on this page sets out the Safety Policy of ABC Company.

It is this Company's intention that its work will be carried out in accordance with:

- ✓ The relevant statutory provisions of the Safety, Health & Welfare at Work Act 2005
- ✓ The Safety, Health & Welfare at Work General Application Regulations 2007 (and all other regulations made under the 2005 Act that may be relevant to ABC Company)
- ✓ The Construction Regulations 2013
- ✓ The Working on Roads Construction Amendment Regulations SI 423 of 2008

Where we are engaged on Domestic Works and we are not aware of a Project Supervisor being appointed, we will advise the Client under Regulation 6 of the 2013 Construction Regulations, of their duty to do so and will follow the directions of whoever is appointed as the Project supervisor.

All reasonable practicable measures will be taken to minimise risk to employees or others who may be affected by company activities.

ABC Company has appointed Manager 2 as having responsibility for managing Health, Safety & Welfare, on a day-to-day basis. Reference should be made to Manager 2, in the event of any difficulty arising in the implementation of this policy. Manager 2 will be supported by others as necessary to ensure that the provisions of this Safety Statement are implemented.

The Success of the policy will depend on the co-operation of all employees. It is therefore important that you acquaint yourself with all areas of the Safety Statement. You should ensure that you understand your role and the overall arrangements for Health & Safety within the Company and within your individual area. You should also be aware that you have an obligation to take care of your own safety and that of others that might be affected by your actions.

Signed: _____ (Manager 2)

Date: _____

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	5

1.4 Policy Statement:

ABC Company is committed to, protecting the Safety, Health and Welfare of all employees at work, protecting the safety of others visiting the workplace, preventing property damage and ensuring its processes will not damage the environment. All reasonable and practicable steps to protect members of the public who may be affected either directly or indirectly by its activities will be followed.

All reasonable and practicable steps shall be taken through occupational risk assessment to ensure that workplace conditions, practices and procedures are safe and in compliance with relevant safety, health and welfare legislation.

All employees shall be adequately trained, supervised and equipped to carry out their duties and responsibilities in a safe manner, with all operating procedures clearly outlined. All employees will have access to the company's safety statement and should ensure that they are familiar with its content.

Where necessary employees shall be provided with suitable protective clothing, equipment and training where hazards cannot be eliminated using all reasonable practicable steps.

Accidents/incidents reported shall be investigated by ABC Company to determine the corrective action necessary to prevent recurrence.

This statement shall be revised as often as is necessitated by changes in legislation or the addition of new processes and equipment and all resources shall be provided to ensure its full implementation.

Revision number	Date	Document owner	Approved by	Page number
01	xx / xx / xx	Manager 1	Manager 2	6

The table below is a record of all revisions made to the safety Statement

[illegible]

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	7

LOGO HERE	ABC Company
	Safety Statement

STRUCTURE FOR HEALTH AND SAFETY

PART 2

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	8

2.1 MANAGEMENT CONTROL SYSTEM

The objective of the Safety Management System is to satisfy our legal responsibilities and to exercise greater control of health and safety within our organisation, to protect people and control the business.

Management points that may be measured:


1. Workplace safety and housekeeping inspections
2. Staff suggestions and query forms
3. Induction and ongoing training
 - 3.1. First aid – as necessary
 - 3.2. Manual Handling – as necessary
 - 3.3. Safety Induction.
4. Safety critical equipment maintenance records
 - 4.1. Fire alarms
 - 4.2. Fire extinguishers
 - 4.3. First aid equipment
5. Fire drill records
6. Risk assessments
 - 6.1. Initial assessments from xx/xx/xx
 - 6.2. Annual reviews after xx/xx/xx
7. Monthly Safety review (part of general management meetings)
 - 7.1. Minutes
 - 7.2. Action points
 - 7.3. Outstanding issues resolved
8. Safety Statement
 - 8.1. Implementation after xx/xx/xx
 - 8.2. Annual reviews after xx/xx/xx
9. Annual report

Records of all of the above points will be held within a Safety Management Folder. This folder is maintained by Manager 1.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	9

Health and Safety Management process for ABC Company

Process flow below indicates how Health and Safety issues and procedures are handled.



Revision number	Date	Document owner	Approved by	Page number
01	xx / xx / xx	Manager 1	Manager 2	10

2.2 Manager 2 (assisted by others as necessary)

- ❑ Manager 2 will be responsible for implementation of the procedures within the Safety Statement.
- ❑ Manager 2 bears the ultimate responsibility for ensuring that staff are given correct information and training for them to do their job effectively.
- ❑ Manager 2 is also responsible for ensuring that staff are supported in enabling them to reach the correct decisions in respect of health and safety matters.
- ❑ Supervise the Company Health and Safety programme.
- ❑ Review all safety rules bi-annually and, when necessary, recommend suitable changes.
- ❑ Investigate all major accidents and damage to Company property and recommend action.
- ❑ Ensure that accident records are maintained.
- ❑ Ensure that records of hazards/near miss reports are maintained.
- ❑ Ensure that the systems for ensuring that fire precautions are adequate.
- ❑ The Health, Safety, and Welfare of all employees are not compromised when all other performance standards are set.
- ❑ That adequate funding is reserved to meet regulatory needs of safety and health.
- ❑ That management will lead by example in adhering to stated policies to achieve the Company's aim to reduce accidents and health exposures.

Revision number	Date	Document owner	Approved by	Page number
01	xx / xx / xx	Manager 1	Manager 2	11

2.3 Supervisors.

All Supervisors will be responsible for planned implementation of effective health and safety standards within their area of operation.

Supervisors bear the responsibility for ensuring that staff are given correct information and training for them to do their job effectively and that their work targets are realistic and do not compromise health and safety requirements.

They are also responsible for ensuring that staff reporting to them are supported in enabling them to reach the correct decisions in respect of health and safety matters.

SPECIFIC RESPONSIBILITIES

- ❑ Ensure that all procedures are complied with for all new employees.
- ❑ Implement an efficient communication procedure so that all Personnel are aware of workplace standards as measured against the Company's Safety Policy and are provided with information on accidents and other safety, health and welfare information.
- ❑ Plan and co-ordinate safety training as necessary.
- ❑ Plan and supervise all work processes in a safe manner and in accordance with the standards set out in the Safety Statement.
- ❑ Ensure that all employees directly under your control are aware of their specific responsibilities.
- ❑ Provide assistance to staff in carrying out their responsibilities, particularly in determining the most appropriate order and methods of working.
- ❑ Allocate work in such a way that health and safety standards are not compromised.
- ❑ Know the location of the First Aid Box.
- ❑ Ensure that you know the procedure in the event of a fire.
- ❑ Report any accident or damage, however minor, to senior management.
- ❑ Commend Employees who by action or initiative eliminate hazards.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	12

2.5 All Employees

- ❑ All Employees are to co-operate with management in the wearing of the correct safety equipment, using the appropriate safety devices and following proper safe systems of work.
- ❑ All Employees are to co-operate in the investigation of accidents and the reporting of them and also the reporting to their supervisors of any local hazards of which they become aware.
- ❑ All Employees will be encouraged to promote ideas on the improvements of health and safety standards and also provide suitable suggestions for reduction in risks.
- ❑ All Employees are forbidden to interfere with or misuse any specified items of safety equipment or any safety device.
- ❑ All Employees are required to take care of their own health and safety and they should not indulge in horseplay, wilful unsafe acts or carry out or play practical jokes on other employees.
- ❑ Employees found guilty of wilful unsafe acts may be liable to summary dismissal.
- ❑ Employees are advised that strict requirements under the Health and Safety at Work Act can be used by the enforcing authorities against such persons if found guilty of reckless behaviour.
- ❑ All employees must clean up their working area or assist in tidying up thereof and also to help maintain clear passageways and maintain high standards of local housekeeping and hygiene.
- ❑ Do not smoke in designated "No Smoking" areas and dispose of spent matches, cigarette ends etc. properly.
- ❑ Know the location of the First Aid Box.
- ❑ Ensure that you know the procedure in the event of a fire.
- ❑ Report any accident or damage, however minor, to management.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	13

2.6 OFFICE BASED STAFF

- ❑ Read and understand the Company's Safety Statement and carry out your work in accordance with its requirements.
- ❑ Do not try to use, repair, or maintain any office equipment or machinery for which you have not received full instructions or training.
- ❑ Report any defects in office equipment or machinery immediately.
- ❑ Know the location of the First Aid Box.
- ❑ Ensure that you know the procedure in the event of a fire.
- ❑ Report any accident or damage, however minor, to management.
- ❑ Ensure that corridors, office floors, doorways etc. are kept clear and free from obstruction.
- ❑ Do not attempt to lift or move, on your own, articles or materials so heavy as likely to cause injury.
- ❑ Do not attempt to reach articles on high shelves unless using steps or a properly designated hop-up: do not improvise or climb.
- ❑ Suggest ways of eliminating hazards and improving working methods.
- ❑ Do not smoke in designated "No Smoking" areas and dispose of spent matches, cigarette ends etc. properly.

Guidance on workstations for office workers

The Company believes that our present level of activity and use of Visual Display Units (VDUs) represents no health and safety hazards to its employees greater than any other electrical appliances including the danger of tripping over loose cables or possible electric shocks. Nevertheless, there are guidelines for users of VDUs and indeed all desk-related activities, which we commend to office staff e.g.

- ❑ Avoid slouching and keep the curve in the lower back.
- ❑ Adjust the seat's backrest to support the lower back.
- ❑ Sit right back in the chair to gain adequate support.
- ❑ Use a footrest if the seat is too high.
- ❑ Rest the upper body when the routine allows, try to vary your work pattern so that the body uses a different position every 20 minutes.
- ❑ Where screens are involved change the screen angle to suit the sitting height.
- ❑ Avoid locations where VDUs will pick up sunlight or reflections.
- ❑ Adjust the height of the seat until the forearms are horizontal with the desk.
- ❑ Align hands with forearms and work with straight wrists.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	14

2.7 CONTRACTORS

The following responsibilities are allocated to contractors to whom ABC Company assigns work:

- All contractors must submit their Safety Policies and Insurances to ABC Company for approval prior to being awarded any sub-contract work.
- All Contractors will be expected to adhere to the highest standards of safety and ensure that their vehicles are DOE certified as necessary.
- All contractors will be expected to comply with the ABC Company Policy for Health, Safety and Welfare and must ensure that their own Company's policy is made available to the ABC Company whilst work on our behalf.
- All ancillary equipment on sub-contractor vehicles such as Sweepers, Vacuums, etc. must be properly certified and in good working order.
- Any injury sustained by a Sub-Contractor's employee or any RTA that a sub-contractor's employee is involved in, must be reported immediately to management at ABC Company.
- Sub-Contractors must comply with any safety instructions given by ABC Company management.
- All employees of the Sub-Contractor who will be engaged in driving must adhere to the correct usage of Tachographs as necessary.
- All employees of the Sub-Contractor must hold the relevant qualifications such as ADR, CPC, etc.
- ABC Company must see originals of all Driving Licences for any employee of a Sub-Contractor before driving on behalf of ABC Company. ABC Company will retain copies of these licences.
- ABC Company reserve the right to have any employee of a Sub-Contractor assessed as a driver and to refuse work for that sub-contractor if the driver is not satisfactory.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	15

LOGO HERE	ABC Company
	Safety Statement

ARRANGEMENTS FOR SAFE WORKING

PART 3

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	16

LOGO HERE	ABC Company
	Safety Statement

3.1 RESOURCES

ABC Company recognises that for the effective implementation of the safety procedures and policies laid down in this Safety Statement, adequate resources and funding must be made available.

ABC Company undertakes:

- To ensure that adequate numbers of suitably trained staff are available to undertake all work activities carried out by the company.
- To include health and safety considerations into all annual estimates for the running of the company.
- Undertake that in so far as is reasonably practicable resources shall be made available for any upgrading, maintenance, replacement and repair of facilities
- Undertake to provide resources for the ongoing monitoring of health and safety and for the provision of information and training of all staff in health and safety.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	17

LOGO HERE	ABC Company
	Safety Statement

3.2 SAFETY INDUCTION

This procedure will be carried out by ABC Company at the work place where the new employee will be required to work.

Apart from explaining to the new employee what he/she will be required to do and to whom he/she will be directly responsible the following points require highlighting:

1. Show new employee where the Safety Statement is kept, explain its purpose and ensure that the employee is aware of his/her responsibility.
2. Advise new employee of any potentially dangerous areas in the work place.
3. Warn new employee of any prohibited actions in the work place, e.g. operating machinery unless authorised to do so.
4. The training and instruction required for each individual must be considered. The supervisor will arrange for specific training to be given to an employee.
5. Show new employee the location of the First Aid Box and explain the procedure in the event of an accident, in particular the necessity to record accidents, however trivial they may appear at the time.
6. Demonstrate to the new employee the fire and evacuation procedure and assembly points.
7. Instruct the staff member in relation to any job specific risk assessments.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	18

3.3 TRAINING

HAZARDS

Inadequately trained staff are a hazard to themselves and their co-employees. ABC Company shall identify the training needs of their staff and ensure they are fulfilled.

It is the Policy of ABC Company that every employee will receive safety training on an ongoing basis. All new personnel will receive safety training as part of their induction. Staff training is not only concerned with imparting facts but also with notifying staff to face up to their responsibilities and to be equipped to deal with emergencies.

Training will include safety induction and safety awareness, manual handling training and First Aid training.

ABC Company will keep training records to include:

1. Name of the employee being trained.
2. Date of training.
3. Training details.
4. Signature of the trainer and employee to ensure that the training has been carried out, documented and understood.

Staff will be trained to spot and act on hazards and encouraged to consult with management on health and safety issues.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	19

LOGO HERE	ABC Company
	Safety Statement

3.4 SAFETY CONSULTATION

Section 13 of the 2005 Act places a general obligation on ABC Company as employer to consult with and to take account of any representations made by the employees for the purpose of giving effect to its statutory duties.

To facilitate consultation on issues relating to the individuals safety at work, the company operates a Suggestion or Query form.

A folder of blank forms is held in the main office. Staff members complete a form as needed. The forms are reviewed on a weekly basis by Manager 1.

Manager 1 will seek more information as necessary from the relevant staff member and will then agree any actions arising from the Suggestions or Concerns if necessary.

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	20

3.5 SAFETY REPRESENTATION

In agreement with the 2005 Act the employees may select and appoint a person, to be called a Safety Representative, from their numbers at their place of work to represent them in consultations with ABC Company.

However, at the moment, it has not been necessary to elect a Safety Representative. As the company grows it is accepted that this position may change.

The rights of the Safety Representative include:

1. Information from the employer as necessary and particularly from the Safety Statement, to ensure the Safety Health and Welfare of employees.
2. To be informed by the employer of a visit by the H.S.A. Inspector.
3. Investigate accidents and dangerous occurrences provided it does not interfere with the performance of any statutory obligation required to be performed by any person.
4. Make representations to and receive advice from the H.S.A.
5. Carry out inspections and investigate hazards and complaints subject to agreement.
6. Accompany a H.S.A. Inspector on any visit except when this is for accident investigation.
7. Time off as may be reasonable to act as Safety Representative or to acquire the knowledge to carry out that function.

ABC Company will facilitate the Safety Representative in carrying out their functions as defined in the Act and as outlined above.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	21

3.6 FIRST AID

CONTROL MEASURES

The first aid box should be suitably marked and easily accessible.

The exact location of the First Aid box must be known by all employees and a specific notice, identifying its whereabouts, must be posted to include names of qualified First Aiders.

It is the company's policy that First Aiders shall be appointed who have certificates of qualifications in Occupational First Aid to ensure adequate cover for all activities.

The first aid boxes are suitably marked and easily accessible. The location is follows;

- ❑ Main Office Area
 - ❑ Each vehicle
- ❑ The First Aid Boxes is inspected on a weekly basis by Manager 1. This check and replenishment is recorded and kept on file.
- ❑ When employees are visiting at a Client or 3rd party premises, they shall seek the advice and assistance of the Client First Aider if necessary.
- ❑ It should be noted that First Aiders are not empowered to dispense analgesics, pills, or medications. Supplies of such items will not be in first aid boxes. Individual employees who believe they might have a need of these items must be responsible for their own supplies.

Names of First Aiders

The following contents are required in a first aid box:

- ❑ Card giving general first aid guidance.
- ❑ Individually wrapped sterile adhesive dressings.
- ❑ Sterile eye pads, with attachment, e.g. Standard Dressing No. 16 BPC.
- ❑ Triangular bandages (sterile).
- ❑ Safety pins.
- ❑ Blue Plasters
- ❑ A selection of Unmedicated wound dressings which should include:
 - ❑ Medium size sterile unmedicated dressings (approx. 10cm x 8cm, e.g. Standard Dressings Nos. 8 and 13 BPC).
 - ❑ Large size sterile unmedicated dressings (approx. 13cm x 9cm, e.g. Standard Dressings Nos. 9 and 14 BPC and the Ambulance Dressing No. 1).
 - ❑ Extra large sterile unmedicated dressing (approx. 28cm x 17.5cm, e.g. Ambulance Dressing No. 3).
- ❑ It is also recommended that a pair of latex gloves be included in each first aid kit for use by the first aider.

PROCEDURE & RECORD KEEPING

- ❑ In the event of an accident, a qualified first-aid person will be responsible for dispensing any first aid material.
- ❑ All issues of first aid consumables and the relevant treatment must be entered on the accident report form.
- ❑ The relevant trained first-aid person with Manager/Supervisor on duty will be responsible for completing the form.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	23

3.7 REPORTING OF ACCIDENTS, DISEASES AND DANGEROUS OCCURRENCES

All accidents and dangerous occurrences must be reported.

- ❑ Accident report Form
 - ❑ The accident report form must be completed for all accidents. Copies of this form are available from Manager 1.
 - ❑ All injuries must be reported on the worksheet also.
- ❑ Health & Safety Authority
 - ❑ If an accident occurs either at the place of work or related to a place of work or work activity and causes loss of life to a person who is employed by the Company or disables any person for more than three days from performing his/her normal duties of employment, then written notice must be given to the Health and Safety Authority at this web link <https://webapps.hsa.ie/CIRW/index.php>.
 - ❑ If the accident is fatal, then the scene of the accident must be left undisturbed for three days after notice has been given, other than for rescue purposes.

CONTROL MEASURES

- ❑ All Accidents, near misses and Dangerous Occurrences
 - ❑ Management, in consultation with the First Aid person, will decide upon the immediate action required in the event of an accident. A medical opinion should be sought in all but the most trivial of injuries.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	24

LOGO HERE	ABC Company
	Safety Statement

3.8 WELFARE FACILITIES

Adequate toilet facilities shall be provided and maintained in a good clean hygienic condition.

Suitable welfare facilities shall be identified for employees “out on the road” this will generally be in the form of Roadside Services, local public amenities, etc.

Adequate washing facilities and washing and drying materials/equipment shall be provided and maintained.

Arrangements for eating foodstuffs shall be provided in the form of a canteen/tea room facility on the premises.

An adequate supply of drinking water shall be provided on the premises.

Adequate cloakroom facilities shall be provided for the storage of wet coats, etc.

Safe access and egress shall be maintained at all times.

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	25

3.9 PERSONAL PROTECTIVE EQUIPMENT

ABC Company shall ensure that all employees use Personal Protective Equipment where required.

HAZARDS

- Physical Exposures
- Chemical Exposures
- Machine exposures

CONTROL MEASURES

All safety equipment purchased by the Company will be to approved standards.

ABC Company will ensure that adequate supplies of all the necessary protective clothing and equipment is available for issue as required and that when issued to employees, a signature is obtained for the equipment.

Management will inform any person in the workplace observed carrying out any procedures which require the use of protective clothing or equipment of both statutory and Company Policy requirements and such persons will be instructed not to continue working until protective clothing or equipment is obtained and used. This applies not only to all employees (including management) but also to contractors.

All PPE is signed for upon issue and replacement PPE may not be issued unless the damaged item has been returned for inspection.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	26

3.10 SMOKING POLICY

The Public Health (Tobacco) (Amendment) Act 2004 became law on Monday 29th March 2004. This means that smoking will not be permitted in any enclosed workplace.

In order to comply with the above legislation and for other Safety and Health reasons, it is the policy of ABC Company that all of our work areas are smoke free. The Organisation recognises that all employees have a right to work in a smoke free environment. All staff have a legal obligation to comply with the legislation. Smoking is prohibited throughout the workplace with no exceptions. This policy applies to all employees, trainees, consultants, contractors, customers and visitors who enter the premises of ABC Company.

Implementation

The overall responsibility for the implementation of this policy rests with the occupier, manager or other person designated, for the time being, in charge of the workplace. All staff have an obligation to adhere to, and facilitate the implementation of this policy.

All new and prospective employees, consultants and contractors shall be given a copy of the policy on hiring, recruitment/induction by the person in charge.

Infringements

Infringements of the No Smoking policy will be dealt with, in the first instance, under employee disciplinary procedures. Employees, trainees, consultants, contractors, customers and visitors who contravene the law prohibiting smoking in the workplace are also liable to prosecution.

Smoking cessation

Information on how to obtain help quitting smoking is available from the National Smokers Quitline on callsave 1850 xx/xx/xx03 or the Health Promotion Department of local Health Boards.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	27

LOGO HERE	ABC Company
	Safety Statement

3.11 DRUGS AND ALCOHOL POLICY STATEMENT

ABC Company recognises that alcohol, drugs, or other substance abuse by individuals can have an adverse effect on their ability to perform work and consequently put themselves, the Company and others at significant risk.

All Employees, Contractors, Sub - Contractors and Visitors must be able to perform their duties whilst on company business, or when they are in Company premises/ work areas in such a manner that will not affect their safety or the safety of others by acts or omissions.

If the Company has reasonable grounds to suspect that an Employee or Contractor or Sub Contractor is under the influence of alcohol or drugs (illegal or misused legal substances), disciplinary action will be taken which may lead to dismissal of the individual concerned.

The possession, distribution or sale of drugs or any associated materials whilst you are on company property, company owned vehicles or other off site locations, will lead to disciplinary action being taken.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	28

3.12 Bullying at Work Policy

ABC Company recognises and accepts its responsibilities as an employer to provide a safe and healthy working environment for employees. As part of the policy of maintaining good employer practice, ABC Company wishes to clearly state that bullying of any kind will not be tolerated.

Bullying at work is defined as: 'Persistent criticism and personal abuse, both in public and in private which humiliates and demeans the individual, gradually eroding their sense of self. Bullying can be best described as repeated inappropriate behaviour, whether verbal, physical, or otherwise, conducted by one or more persons against another or others, at the place of work and/or in the course of employment, which could reasonably be regarded as undermining the individual's right to dignity at work. An isolated incident of the behaviour described in this definition may be an affront to dignity at work, but as a once off incident is not considered to be bullying.

ABC Company will strive to ensure that all employees are free to perform, their work in an environment, which is free from threat, harassment and intimidation. All complaints of objectionable or offensive behaviour should be made to either Manager 1, Manager 2 or the Safety Representative.

Manager 2 gives the undertaking to investigate all complaints sensitively and will resolve locally, if possible, the source and cause of the bullying behaviour. If the circumstances warrant it, the Company will not be deterred in invoking the formal disciplinary / grievance procedures.

All employees are invited to strive in ensuring that our working environment remains a pleasant and friendly atmosphere.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	29

LOGO HERE	ABC Company
	Safety Statement

3.13 Young persons and inexperienced workers policy

ABC Company does not employ inexperienced workers. ABC Company do not offer permanent work to any persons under the age of 18.

New employees who are experienced in their profession receive in-house induction training and spend an agreed period of time working with experienced staff.

Where ABC Company choose to offer work experience placements to school children (typically from transition year programmes) the Health and Safety requirements of the relevant school shall be followed. While on the premises these schoolchildren will be supervised at all times and shall not be asked to undertake any tasks for which they do not have suitable knowledge, skills and experience. Under no circumstances will a person under the age of 18 are any person without the correct driving licence, be allowed to operate any of the company cleaning vehicles/equipment.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	30

LOGO HERE	ABC Company
	Safety Statement

HAZARD IDENTIFICATION AND CONTROL
MEASURES

PART 4

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	31

4.1 HAZARD INSPECTIONS

The management of the Company recognises that its activities and premises may present Health and Safety risks and shall identify the areas where control measures are required. Identification of hazards shall be undertaken at regular intervals and management shall take all practicable control measures to reduce the risks to its staff and visitors.

Hazards will be identified, risk assessments made and categorised as per our risk assessment formula.

HAZARD IDENTIFICATION AND RISK ASSESSMENT

- ❑ The policy of the Company is to identify hazards in the place of work and to assess the risk to Safety and Health and to control risks as far as is practicable so that they are reduced to an acceptable level.
- ❑ "Hazard" is taken to mean "any substance, article, material or practice, which has the potential to cause harm to the Safety, Health or Welfare of employees at work."
- ❑ "Risk" is taken to mean "the potential for the hazard to cause harm in the actual circumstances of use."
- ❑ Risk Assessment is based on the linking of the probability of occurrence with the severity of loss and/or injury. In this exercise, risks are graded "High," "Medium" or "Low" and numerically rated using the formula below. This is to help with the giving of priority to the employment of controls and the allocation of resources.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	32

The formula to be used for conducting risk assessments, assessing the risk from observed infringements/hazards or after an Audit, is shown here. Very minor injuries should score 1 while very serious ones will score higher, personal judgement is needed here. Likewise with the likelihood, 1 is very unlikely that anybody would be exposed to the hazard, while 7 means definite exposure to the hazard. Again personal judgement is needed.

Once the two scores are agreed they should be multiplied, thus giving a risk rating between 1 and 42.

Scores:

1-6 = Very Low risk

7-12 = Low Risk

13-18 = Low to Medium Risk

19-24 = Medium risk

25-30 = Medium to High Risk

31-36 = High Risk, stop the activity and implement immediate controls.

Over 36 = Very high Risk, stop the activity and implement immediate controls.

Risk Calculation Matrix

	How likely is an injury						
How serious will the injury be	1	2	3	4	5	6	7
1							
2							
3							
4							
5							
6							

Notes:

Hazards = Things that can cause an injury.

Risk = The likelihood of an injury happening.

- Risk Control measures are intended to reduce the risk to an acceptable level.
- Where practicable the Company commits itself to the elimination of hazards, whether that is by the provision of access arrangements, machine guarding or the provision of special tools etc. This approach will take into account normal good practice within this sector of industry and the standards and guidelines where these are available.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	33

4.2 FIRE

FIRE HAZARDS

The fire safety arrangements for ABC Company are set out below.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

A Fire Safety Programme shall be developed when appropriate by management to:

- (a) Guard against an outbreak of fire
- (b) Ensure as far as is reasonably practicable the safety of persons (including members of the public) on the premises in the event of an outbreak of fire.

The Fire Safety Programme shall incorporate arrangements for:

- (a) The prevention of an outbreak of fire through the establishment of day to day fire prevention practices.
- (b) The instruction and training of staff to familiarise them with fire and emergency evacuation procedures, fire call points and use of fire fighting equipment.
- (c) Taking part in client fire and evacuation drills.
- (d) The provision and maintenance of escape routes, free from obstruction and all exits unlocked and operational.
- (e) The provision of adequate fire protection equipment and systems.
- (f) The inspection and maintenance of the fire protection equipment systems.
- (g) The provision of assistance to the fire authorities.
- (h) The maintenance of good housekeeping practice to ensure the removal of all combustible rubbish.
- (i) The testing and maintenance of portable heating appliances, and ensuring that all electrical equipment is switched off and unplugged when not in use.

4.2.1 FIRE FIGHTING EQUIPMENT

The purpose of portable fire fighting equipment is as follows:

1. Extinguish incipient fires
2. Protect means of escape in case of fire

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	34

3. Protect employees and visitors
4. Protect property.

Portable Fire Extinguishers

Portable fire extinguishers will be provided in sufficient numbers to give adequate cover as per the advice of our Fire Protection Company.

Action in the event of fire

1. Clear everyone from the immediate vicinity of the fire except those actually authorised to engage in fire fighting.
2. Alert other staff in the immediate area of the fire. Contact the Fire Brigade, giving them the address clearly and any other directions necessary. Advise the Client Manager or Deputy pending arrival of the Fire Brigade.
3. If there is no danger by doing so, try to put out the fire with the apparatus provided, but remember our equipment will only be effective on a small fire - you must catch it before it gets hold.
4. Use the break glass fire alarm.
5. The manager of the area will order evacuation of the building as soon as it becomes apparent that the fire or smoke is spreading.
6. Employees should not delay their departure to collect personal belongings from another part of the building and should assemble at the designated assembly point so that they can be quickly accounted for.
7. Make sure that the building is cleared of employees and visitors. Close doors. See that no unauthorised person enters the building.

4.2.2 MEANS OF ESCAPE IN CASE OF FIRE

It is essential that escape routes be established, clearly identified and maintained available for use and that the protection afforded them is not impaired in the operation of the premises.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	35

LOGO HERE	ABC Company
	Safety Statement

No person shall obstruct a means of escape. Fire exit routes and doors must never be obstructed.

4.2.3 FIRE DRILL

Fire drills are undertaken twice per year. Records of the date of these drills are on the H&S asset. The drills are also reviewed at our Management meeting.

4.2.4 FIRE WARDEN NAMES

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	36

4.3 ACCESS AND EGRESS

HAZARDS

Inadequate access and egress facilities can result in:

- Restriction of an orderly evacuation of the premises
- Trips and falls
- Obstruction of emergency exits

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

All doors and access points shall be kept clear and maintained.

All passageways shall be kept clear of obstruction.

All floor covering and surfaces shall be kept clean and in good condition.

Adequate lighting shall be provided at all entry, exit points and along corridor and passageways.

Waste shall be removed regularly and systematically stored in a secure place until collected for disposal.

It is vital that all fire escape routes are not obstructed at any time.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	37

4.4 HOUSEKEEPING

HAZARDS

Poor housekeeping can pose a wide variety of risks to health and safety.

- Trips:- Materials left lying in the open
- Slips:- On a greasy floors, slippery material strewn around
- Falls:- Use of materials for accessing higher work areas.
- Collisions:- Blockage of access aisles with materials
- Objects falling on people:- Improper stacking of materials
- Fire:- Inadequately and infrequent disposal of combustible rubbish.

Risk Assessment:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

Staff will ensure that access routes are planned, and storage is programmed to ensure that excess materials are not stored on site, storage areas are defined, staff/sub-contractors are made aware of the Company requirements with regard to storage, clearing up and tidiness.

Employees must maintain the workplace in a tidy condition at all times.

Managers will ensure that stacking areas are prepared and that materials are stored so as not to create difficulties.

Employees will ensure that all waste materials in and around the premises are cleared and disposed of safely.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	38

4.5 MANUAL HANDLING

HAZARDS

- Incorrect method of lifting
- Attempting to lift something which is too heavy
- Lifting sharp/awkward shapes

The main injuries associated with manual handling and lifting are:

- Back strain, slipped disc.
- Hernias.
- Lacerations, crushing of hands or fingers.
- R.S.I.
- Bruised or broken toes or feet.
- Various sprains, strains, etc.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

Loads which must be manually handled shall be assessed on the basis of their risk to health and safety and due caution exercised where there is a risk of back injury etc. The method of handling shall take account of the size, weight, shape, condition and position of the load to be handled.

Where possible measures shall be taken to reduce the amount of manual handling to a minimum and mechanical handling devices supplied and used in so far as is reasonably practicable.

All appropriate staff shall be trained in safe manual handling techniques.

Where loads have to be manually handled, safe access shall be assured.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	39

Precautions

1. Manual Lifting Procedure

1. The Lift

The key factors in safe lifting are:

- a) balance
- b) position of back
- c) positioning of the arms and body
- d) the hold

a) Balance

Since balance depends essentially upon the position of the feet, they should be apart about hip breadth with one foot advanced, giving full balance sideways and forward without tension.

In taking up this position, lifting is done by bending at the knees instead of the hips and the muscles that are brought into use are those of the thigh and not the back.

b) Position of the Back

Straight - not necessarily vertical

The spine must be kept rigid and straight, but not necessarily vertical. The spine can be kept straight if it is within 15 to 20 degrees from the vertical. This, coupled with a bent knee position, allows the centre line of gravity of the body to be over the weight, so reducing strain.

c) Position of the Arms and Body

The further the arms are away from the side, the greater the strain on the shoulders, chest and back. The elbow must at all times be close to the body, arms should be straight when carrying a load. One hand should be in advance of the other, whichever foot is

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	40

placed forward, the same hand is extended, the other hand is kept close to the body. This position ensures that the elbows are into the sides. This coupled with the correct foot position ensures a safe and easy fit.

d) Arms close to the Body

The further the weight is away from the centre line of gravity of the lifter, the greater the strain. At all times get close to the weight and try to make it part of you.

e) The Hold

When grasping a weight, one often hears the phrase "get a good hold". A good hold means a grasp with the roots of the fingers, not just the tips, plus contact of the weight with the palm of the hand.

Never forget that size and build has no bearing upon the amount any one individual can lift. Everyone should know their own capabilities and should never attempt to exceed them. If in doubt get help, it is far better to be safe than sorry.

Besides these key factors, there are other important points to remember.

2. Centre Line of Gravity

It is essential that the weight of object and the centre line of gravity of the lifter should be as close as possible to one another. This reduces strain, discomfort and the likelihood of loss of balance during the course of the lift.

3. Testing the Weight

When in the initial position for the lift, the lifter should test the weight of the object to make sure it is within his capability and not too heavy for one man to lift. Many accidents happen when a person raises an object a few inches off the floor, realises it is too heavy and lets go.

4. The shape of the weight

Note the shape of the object. It should be turned, if possible, so that the shortest measurement of rectangle is nearer to the centre line of gravity.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	41

5. Movement.

The movement should be controlled and smooth. The weight should be kept close to the body.

Rhythm plays an important part in reducing tension and creating relation.

Before moving any loads, the job should be sized up and possible hazards moved or rectified.

An inspection of the load itself must be made to ensure that it can be moved without danger to the lifter or others.

The following check list can be usefully applied to all lifting jobs:

- if the load is heavy or too large for one person to handle, help should be obtained from a work-mate of similar physique
- jerking a load will add a little extra force, but it will also cause severe strain to the arm, back and shoulder
- even if a load is light in weight, it is dangerous to carry if it is large enough to obscure vision
- loads should not be pushed onto stacks above chest level. If a stack is this high, stand on a sturdy platform
- if the load to be lifted exceeds half the weight of the person lifting it, it is more than likely that the individual will lose his/her balance.

Note: if in doubt when lifting GET HELP.

TRAINING

Any employee whose job involves any manual handling shall be trained to allow him/her to carry this out safely. The extent of the training will depend on the type of lifting in which they are involved.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	42

4.6 ELECTRICITY

Set out below are the general controls for the company.

HAZARDS

- Electric Shock
- Fire
- Trips or falls from loose cables

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

To ensure that all electrical equipment used by the company is in safe condition.

CONTROL MEASURES

Dangerous or defective cabling should be replaced or remedied in accordance with the E.T.C.I.'s rules. It is important that all extensions, alterations and repairs to electrical circuits are carried out in a proper manner in accordance with E.T.C.I.'s rules.

WIRING STANDARDS

All new fixed and temporary wiring will be to the latest Irish standards and, where practicable, in compliance with the national rules for electrical installations.

Precautions to be included either are or will be as follows:

- All portable electrical equipment shall be tested annually by a competent person to ensure safety.
- Flexible cables will also be adequately protected against external mechanical damage.
- Flexible cables for portable equipment will be properly mechanically restrained within plugs and couplers.
- Enclosures, plugs etc. should be maintained as part of the portable appliance of which they form part, but damaged leads, plugs, etc. should not be allowed to remain in service should the equipment not be due for maintenance.
- A record should be kept of each item of equipment so that maintenance can be scheduled and recorded.
- Where appropriate all equipment not in use to be switched off, especially at the end of a working, unless of a specialist type, e.g. servers, etc.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	43

LOGO HERE	ABC Company
	Safety Statement

- Sufficient sockets shall be provided to prevent overloading by use of adapters. Proper plugs shall always be fitted to electrical appliances and flex firmly clamped.
- Frayed and damaged cables shall be replaced immediately.
- Flexible cables should not be run across floors. Where damage at floor level to other cables is possible, protection by ramps, conduit or armouring will be considered and applied.

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	44

LOGO HERE	ABC Company
	Safety Statement

4.7 OFFICES

HAZARDS

- While office work may not be considered as a high-risk activity unsafe work systems and layout may result in injury or illness.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

- Adequate office space is allocated for the working personnel.
- All furniture, fittings and equipment shall be arranged so that staff can move about without collision with sharp corners of desks etc.
- Only one drawer of a filing cabinet shall be opened at any one time. All drawers should be closed after use.
- Sufficient lighting and ventilation shall be provided.
- Electric or telephone cables shall not trail unprotected across the floor. Cable covers shall be supplied and used.
- Chairs desks or drawer should never be used to access higher areas. Step ladders shall be used.
- All items stored above head level shall be stored properly to prevent falling.
- The mains power supply shall be disconnected before attempting to move electrical equipment.
- All damaged floor covering, furniture equipment or machinery shall be reported, replaced, or repaired.
- Before using chemicals (e.g. photocopier toners) read the instructions on the container and avoid contact with skin or clothing.
- Floor areas shall be kept clear of materials and litter.

Dangerous waste e.g. broken glass, bulbs, shall be properly disposed of.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	45

4.8 VISUAL DISPLAY UNITS (VDU'S)

HAZARDS

The main problems that may be associated with VDU's are as follows:

(a) Visual Discomfort

This recognises a contribution from a number of ocular problems:

- (1) long/short sight problems
- (2) glare
- (3) lighting
- (4) screen brightness
- (5) clarity of characters.

(b) Posture

Good adjustable seating is required and it is essential to consider ergonomic factors.

(c) Radiation

Radiation levels across virtually the whole of the electro-magnetic spectrum are below internationally accepted exposure limits when tested under extreme conditions, i.e. close to the screen.

(d) Stress

The work at a VDU can be repetitive and monotonous. This is not exclusive to VDU users as mental stress is associated with all types of work.

On the basis of available evidence, the 'health hazards' associated with VDU's are largely exaggerated in the sense that they are unlikely to cause irreversible long term damage as opposed to varying degrees of discomfort.

Risk Assessment:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	46

CONTROL MEASURES

- Each workstation shall be assessed to ensure the individual's health is not likely to be put at risk.
- The Display Screen Assessment sheet in the appendix shall be used for this purpose.
- Be sure that VDU screens meet the appropriate criteria for performance, brilliance, character design, etc.
- The intensity of the beam, the brightness of the dots against the background and their time persistence are the most important determinants of operator 'safety'.
- This underlines the importance of keeping VDU's in good condition.
- It is important that chairs are correctly selected and used and that their siting is at an optimum distance from the machine.
- Lighting, ventilation and temperature must be carefully controlled to provide satisfactory environmental conditions.
- There should be a restriction on continuous use:
- Over two hours with pauses of between 5-10 minutes before further use.
- In this respect, short, frequent intervals are more beneficial than infrequent long breaks.
- The total time of continuous work at a VDU should be restricted to 6 hours per day.
- Vision should be tested before operating a VDU and at yearly intervals, or earlier if symptoms are experienced. Spectacle wearers should consult their optician.
- Epileptics should see a medical adviser before starting work.

If there is any untoward incidence of VDU related problems medical advice must be sought.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	47

4.9 HAZARDOUS SUBSTANCES

HAZARDS

Health hazards from substances can be divided into the following categories:

- External contact - corrosive, skin absorption, dermatitis.
- Inhalation - gases, fumes, vapours.
- Ingestion - swallowing.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

- All substances are listed in a safety file.
- All substances have an up to date Material Safety Data Sheet (MSDS) on file.
- The control measures listed in the MSDS are followed.
- A written assessment, control measures and other information are on site.
- All substances are stored in an appropriate unit that is fire retardant and can contain spillages where needed.
- Procedures planned to handle or use any hazardous substance or process are carried out fully.
- Any, equipment, hygiene measures or protective clothing are provided and maintained as required.
- Any necessary medical examinations, testing, etc. will be carried out as required and records will be kept on the premises.
- All measures necessary to protect other workers and the general public from any substance hazardous to health will be provided and maintained.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	48

4.10 Ladders

HAZARDS

Note: Ladders must only be used for short periods and only where there is no suitable alternative.

- Items falling from ladders
- Working from ladders
- Throwing waste material from ladders
- Overreaching
- Overbalancing
- Ladders Falling
- Falls from Ladders
- Defective Ladders

Person at risk:

Employees / Sub-Contractors / Visitors / Others

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

Maintenance of ladders and folding step-ladders.

- Ladders are only used by ABC Company for short periods.
- Ladders and folding step-ladders must be of good construction, of suitable and sound material and of adequate strength for the purpose for which it is used and must be properly maintained.
- Ladders must not be used if one or more rungs are missing or where one or more rungs are defective.
- Rung must be properly fixed to the stiles or sides.
- Rungs must not be supported solely on nails, spikes or other similar fixing.
- Timber ladders, and folding step ladders must not be painted or treated in such a way that defects cannot easily be seen.

Use of ladders and folding step-ladders

- Any part of a building or other structure used to support a ladder or folding step-ladder must be of sound material and sufficiently stable and sufficiently strong to give safe support.
- Ladders standing on a base (e.g. standing on the ground) must:
 - Be securely fixed
 - o Near to its upper resting-place or, in the case of a vertical ladder near to its upper end

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	49

LOGO HERE	ABC Company
	Safety Statement

- o If this is not practical, the ladder must be securely fixed at or near to its lower end
- o If neither of these is practical, a person must be stationed at the foot of the ladder to prevent it from slipping
- o Have level and firm footing and must not stand on loose items such as bricks, boxes or other loose packing,
- o Be secured where necessary to prevent undue swaying or sagging

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	50

4.11 Equipment and Maintenance

Hazards
 Entanglement
 Electricity
 In running nips
 Etc.

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

In general the use of machinery and equipment in the Business is confined to low-risk items, which do not present any significant hazards.

However notwithstanding this the following precautions are taken.

Person at risk:

Employees / Sub-Contractors / Visitors / Others

CONTROL MEASURES

General

The following precautions are taken when using machinery and equipment.

- All guarding, safety devices (e.g. interlocks) must be in place and working properly at all times.
- All machinery and equipment must be used in accordance with the manufacturers' instructions.
- Machinery and equipment must be properly maintained and all faults to be reported and corrected immediately.

Maintenance

ABC Company recognises that there may be additional risks associated with maintenance activities, due to such factors as need to remove guarding, disable safety features such as interlocks, electrical safety issues, etc. In order to minimise the risks involved in maintenance activities, the Business takes the following actions.

- No maintenance is carried out by general staff, other than routine cleaning and similar activities which can be carried out without disassembling the equipment or disabling safety measures in any way.
- All maintenance is carried out by suitably capable and experienced staff or by outside suppliers.
- This competence includes:

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	51

LOGO HERE	ABC Company
	Safety Statement

- o Appropriate knowledge of the machinery and equipment
- o Relevant health and safety requirements (in the case of suppliers, they are checked to ensure that they meet the appropriate requirements, and this is generally demonstrated by the availability of a safety statement).
- o Outside suppliers are informed of any relevant health and safety information such as emergency evacuation procedures; any specific hazards on the premises, etc.
- o All machinery must be completely returned to correct operational condition by maintenance personnel before it is put back into operation. Examples are: replacement of machine guarding, re-activation of interlocks, electrical protection devices, etc.

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	52

LOGO HERE	ABC Company
	Safety Statement

4.12 Noise

Hazards

Hearing loss or impairment

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures

- All sweepers, vehicles, pedestrian machines, etc. are serviced as per the Manufacturer's/Supplier's guidelines and recommendations.
- Where possible noise is kept to a manageable level.
- All employees are issued with Ear Defenders as per the noise indication on each machine.
- All employees must wear the ear defenders when operating any pedestrian controlled machine.
- Within the cab of any vehicle the noise is reduced and ear defenders are not required.

PREVENT

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	53

4.13 Safety in client and other premises.

Hazards

Slips and falls

Access and egress

Fire

Housekeeping

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Each individual customer site may have additional hazards, over and above the hazards identified in this Safety Statement.

It is the responsibility of the person(s) in charge of the premises (or someone that they appoint) to provide information about all specific hazards on the premises, and the steps that must be taken to deal with these hazards.

For this reason it is essential to find out who is responsible for health and safety on the premises and contact them so that they can provide the required information.

Typical safety-related information could include:

- Any specific safety arrangements for those working on the premises;
- Location of toilets, washing facilities, eating (canteen) facilities;
- Fire and other emergency arrangements;
- Client contacts (e.g. safety personnel, first aid personnel, etc.)
- Personal Protective Equipment (PPE) requirements
- On receipt of this information, and/or based on an inspection of the site, the Manager 1 will:
 - o Identify any additional safety measures that are required;
 - o Communicate these measures to all appropriate staff;
 - o Ensure that any required additional information, training, personal protective equipment, etc. are provided.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	54

4.14 Driving for work

Hazards

Other road users

Road traffic accidents

Driving conditions

Poor vehicle maintenance

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures:

- Also see assessments :
 - o 4.22 Vehicles
 - o 4.23 Drivers
- The use of vehicles is restricted to persons within the company who hold a current driving license of the appropriate class, and who are covered by the appropriate vehicle insurance.
- Vehicles must be driven at all times in accordance with the Road Traffic Acts.
- All drivers must remain within the statutory legal limits for drinking and driving.
- Drivers are responsible for carrying out checks on vehicles prior to use to ensure that they are in suitable condition for use. Defects must be reported and repaired.
- It is forbidden to carry passengers other than authorised company employees when driving on behalf of the Business.
- Vehicles must be parked in a safe location.
- All speed limits are to be adhered to when driving on public roads.
- Legal requirements for use of Mobile Phones must be adhered to.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	55

4.15 Pregnancy and New Mothers

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures

Employees who are pregnant or breastfeeding will not be required to perform any duties which are likely to expose them or their unborn or breastfeeding child to any risk related to their pregnancy or breastfeeding.

A risk assessment will be carried out to assess if there is any additional risk.

If any additional risk is identified, suitable preventive measures will be taken to deal with the risk.

Examples of circumstances where a pregnant worker or their child could be exposed to additional risk include work involving:

- Shocks, vibration or movement
- Manual handling involving risks to the lower back
- Noise
- Ionising and non-ionising radiation
- Extremes of heat and cold
- Movements and postures, travelling, mental or physical fatigue, other physical burdens

Other potential risks as identified in the Safety, Health & Welfare at Work (Pregnant Workers) Regulations.

Examples of suitable action when additional risks are identified are:

- Restrict the pregnant worker from carrying out the work;
- Adjust the working conditions on a temporary basis so that the risk is avoided;
- Re-allocate the worker to other work which does not entail risk to the worker or child;
- If the risk cannot be avoided by any other means, give the worker leave or additional maternity leave.
- Where additional risk to the pregnant worker or their child is identified, the worker will be informed of the risk and the steps to be taken to deal with the risk.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	56

4.16 Violence and Aggression

Hazards

Physical assault

Physical injury

Verbal abuse

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Difficult customers and others such as members of the general public can expose staff to a risk of violence. The following steps are taken by the Business to minimise this risk.

It is the policy of ABC Company not to have staff working alone, except when this cannot be avoided. In general there will be at least two members of staff on hand at all times. In situations such as light commercial sweeping where an employee does work alone they will have the means to raise an alarm.

Staff are given the following guidelines in dealing with potential robbery and aggression/violence situations:

- Always keep aware of customers or other individuals who may become violent or threatening
- Never argue or otherwise engage with someone who shows signs of violence
- If someone becomes aggressive or violent, obtain assistance. Never attempt to get involved directly or to restrain the person.
- If attacked, withdraw from the confrontation if possible.
- If and when it is safe to do so, raise the alarm.

Robbery/ Attempted Robbery

Robbery of cash and other valuable items can expose staff to a risk of violence. The following steps are taken by the Business to minimise this risk.

It is policy to put measures in place to minimise the risks to staff from robbery. These include:

- If a robbery is attempted, even by someone who appears to be unarmed:
- Do not offer any resistance, do not provoke the attacker
- Give the attacker whatever they demand
- If and when it is safe to do so, raise the alarm.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	57

4.17 Light Commercial and Mechanical Sweeping

Hazards

Slip trip fall

Local conditions

Machines

Dust

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures

- All operators must pay attention to the related assessments for Access and Egress, Manual Handling, Weather, etc.
- You must take reasonable care for the health and safety of yourself and other persons who may be affected by your acts or omissions at work.
- Upon arrival on site, do a site survey, noting hazards, removing large objects that cannot be swept.
- Do not interfere with or misuse anything provided in the interests of health, safety or welfare.
- Take care to see that the public are not exposed to any hazards from work processes (especially the blind and infirm).
- Use a barrier cream before each work session. Wash hands before meals.
- Wear the appropriate items of protective and safety equipment whenever circumstances require it. Ensure that the high visibility fluorescent apparel, complete with reflective strips, is worn and is clearly visible, e.g. over any waterproofs.
- At all times position your vehicle/sweeper at a clearly visible and convenient point so that vehicles are not impeded and pedestrians not put at risk.
- Before commencing work ensure that your vehicle/sweeper is in roadworthy condition and that equipment and moving parts are secure.
- Pay due regard on pavements to pedestrians and pedestrian controlled vehicles.
- Unless suitably equipped with adequate lighting, ensure that vehicle/sweeper is not used before daybreak or after dark.
- Report to your Supervisor any hazard or dangerous occurrence, also any complaints or contacts made in official capacity.
- Take additional care when picking up broken glass or sharp objects. Wear protective gloves provided.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	58

- Manually sweep out corners with a hand broom.
- Litter pick from hedges any debris caught there and put them in the path of the sweeper.
- Driving/walking behind the sweeper and collect any rubbish/debris.
- Depending on the quantity, stop and change the debris bag.
- All waste is put in clients waste collection bin.
- Once finished the machine is to be loaded back on the trailer and taken to the next job or if it is the end of the day it is taken to the depot for a clean down.

4.17.1 COLLECTION FROM LITTER BINS AND BASKETS

Additional Precautions

- Care to be taken using protective gloves when voiding the bin or basket.
- Additional care when handling sharp objects.
- Report to Supervisor, on return to depot, of any defects.
- Ensure that rubbish, which has overflowed on to the ground, is picked up.
- As an accident prevention measure, report to your Supervisor, any possible hazards that could endanger the public.
- Any cuts or scratches should be cleaned and dressed at once.
- Remember that personal hygiene is a protective measure which you alone can provide. Use the facilities provided.

IMPORTANT

- With the increased use of drugs in society, many litter bins now contain needles from hypodermic syringes. There is no protective clothing available that will protect you from a needlestick injury and in order to minimise this risk, plastic sacks should only be handled by the neck when being taken from a litter bin.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	59

4.18 Municipal Mechanical sweeping

Hazards

Multi hazard

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures

- All operators must pay attention to the related assessments for Access and Egress, Manual Handling, Weather, Vehicles, Drivers, etc.
- You must take reasonable care for the health and safety of yourself and other persons who may be affected by your acts or omissions at work.
- Upon arrival on site, do a site survey, noting hazards, removing large objects that cannot be swept.
- Do not interfere with or misuse anything provided in the interests of health, safety or welfare.
- Take care to see that the public are not exposed to any hazards from work processes (especially the blind and infirm).
- Use a barrier cream before each work session. Wash hands before meals.
- The driver is responsible for the safe operation of his vehicle and the following daily routine duties should be performed before commencing operations:-
 - o before commencing work ensure that all sealing points are made.
 - o make sure the mesh inside the body is thoroughly cleaned each day. Failure to do this will result in a loss of suction.
 - o ensure after using the side hose the blanking plate is removed or the intake flap opened before resuming sweeping operations.
 - o ensure the machine is serviced at the required intervals.
 - o Do not drive the vehicle with the PTO pump engaged.
 - o Do not tip the body fully when loaded, without first opening the rear door.
 - o Do not, when washing down, spray water on the auxiliary engine or any electric system.
 - o Do not sweep without water, nozzle jets need to be on at all times to lubricate the trunking.
- CHECK
 - o The engine oil level.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	60

- o The radiator water level.
 - o For obstructions in front of the radiator, e.g. leaves etc.
 - o Visually check the hydraulic oil level in the tank.
 - o The filter state indicators. Clean the filters if required.
 - o Clean nozzle jets with the tool provided.
- The principal hazard will always be moving traffic. Always ensure that the flashing amber warning lights are in operation when traversing a street.
- Take care that members of the public are not exposed to hazards from the work process (especially the blind and infirm).
- Drivers must wear high viz clothing at all times and when carrying out any work outside the vehicle a high visibility jacket must be worn.
- All defects on the vehicle must be reported to the Vehicle and Plant Section on the vehicle defect sheet.
- All accidents must be recorded on the Accident Form.
- All vehicle accidents must be reported to your supervisor and a vehicle accident report completed.

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	61

4.19 Use of Trailers

Hazards

RTA

Manual handling

Pinch points

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control Measures

- All operators must pay attention to the related assessments for Manual Handling, Weather, Vehicles, Drivers, etc.
- You must take reasonable care for the health and safety of yourself and other people affected by your activities.
- All trailers used must have independent braking.
- All trailers are subject to a program of maintenance and are inspected before every use.
- Trailers are never to be loaded beyond the stated capacity.
- All loads whether Sweepers, Debris or any other item must be secured to the trailer bed.

Safety Information and controls from the Road Safety Authority that must be adhered to:

You must ensure that:

- Your vehicle is large enough to tow the trailer and the load
- The brakes are powerful enough to stop the vehicle and trailer safely
- The trailer's Gross Vehicle Weight (GVW) i.e. the weight of the trailer plus the load being carried, does not exceed the towing capacity of your towing vehicle
- You hold the correct driving licence to drive the vehicle-trailer combination
- It is your responsibility to know the capacity and the limits of your vehicle, tow hitch and trailer, and to make sure that you never operate beyond these.
- Consult your owner's handbook for all the details on your vehicle's towing limits. Many vehicles will have a higher towing capacity/limit for a trailer fitted with brakes and a far lower capacity/limit if towing a trailer without brakes.
- As a driver you are legally required to adhere to the manufacturers' design specifications for your vehicle, the tow hitch and the trailer.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	62

- The addition of a loaded trailer to a vehicle will inevitably effect the vehicle's performance:
 - o starting, particularly on hills, can be much more laboured
 - o stopping can take longer distances
 - o cornering and negotiating sharp bends requires extra care
- Loading your trailer
- Loads must be securely tied down or restrained and there must be no load projections outside the trailer that might cause danger to other road users.
- Wherever possible, loads should be evenly distributed across the trailer and positioned in such a way as to keep the nose weight (i.e. the weight exerted by the trailer draw bar on the towing bracket) within the recommended limits for the towing vehicle. If unevenly distributed loads have to be carried, ensure that individual wheels/axles are not overloaded. It may be necessary to reduce the overall load to achieve this.
- The biggest risks associated with poor loading are:
 - o Loss of steering control caused by loading behind the centre of gravity: this is very likely to cause snaking, i.e., movement from side to side, which may result in loss of control of the vehicle combination.
 - o Loss of overall control and potential damage to the towing vehicle caused by excessive loading in front of the centre of gravity. This causes the car's steering to be less effective, giving under-steer and, with front wheel drive vehicles, causing loss of traction. Excessive nose weight is likely to place unacceptable stresses on the tow bar and on its mounting points on the vehicle.
 - o Loss of stability caused by loading too heavily on one side or the other.
- Dangerous loss of stability when loads are loose and move around. Danger of loads parting from the trailer.
- Load shooting forward when the vehicle combination-brakes. This is particularly acute if the load consists of planks, bars, etc., laid in line, front to back.
- There is a very significant danger of light items being lifted out of a trailer by the slipstream. All items should be secured.
- Loading practice should, therefore, take into account:
 - o Secure restraint
 - o Recommended nose weight
 - o Weight distribution and balance

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	63

4.20 Company Vehicles – General Points

Hazards

- Personal Injury from inadequate maintenance / Checks on Company Vehicles
- Damage to property from inadequate maintenance / Checks on vehicles
- Road Traffic Accidents

Person at risk:

Employees / Sub-Contractors / Visitors / Others

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Tachographs and Working time

It is expected that every driver will adhere totally to the legislation relating to Tachograph procedures. The company shall maintain a full record of Tachographs for inspection by any statutory body.

In accordance with working time regulations the company will ensure that all drivers are rostered in such a way as to comply with statutory rest periods.

Use of company vehicles

Five main hazards are addressed under the risk assessment: Road Traffic Accident, Refuelling, Wheel Change (Small vehicles), Mobile Phones and Maintenance.

HAZARDS

1. Road Traffic Accident – Injury due to collision

RISK ASSESMENT: Medium

CONTROL MEASURES

Only suitably qualified and insured employees may operate company vehicles.

They must always be driven within the rules of the road and the law.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	64

They must have a recorded and scheduled programme of maintenance, and must hold DOE certificates as necessary.
No hitchhikers may be picked up at any time.
Any breach of Road Traffic Acts will be treated with the utmost severity.

2. Refuelling.

RISK ASSESSMENT:

CONTROL MEASURES

All refuelling is carried out by people over 18 years of age.
Refuelling is only carried out in open air such as garage forecourts.
Fire extinguishers are always present on the forecourts.

3. Wheel Change Light vans and small passenger vehicles only – Cuts, Bruises, MH injury, traffic passing by.

RISK ASSESSMENT:

CONTROL MEASURES

Company owner vehicles are issued with full wheel changing kits.
Kit includes the jack, screwdriver, spare wheel and tyre iron. The reflective jacket, torch and red triangle are supplied by the company.

All of this equipment is to be properly maintained by the vehicle drivers.

If a puncture occurs and a wheel change is needed do the following:

- Turn on hazard lights
- Pull in to the left-hand side of the road when safe to do so
- Get out of the vehicle and go to the boot
- Place the red triangle approx. 30 feet from the vehicle
- It is imperative that the yellow jacket is worn even in broad daylight
- If the puncture is on the left hand side of the vehicle proceed to change the tyre taking great care with regard to manual handling
- If the puncture is on the right hand side of the vehicle try to angle the car slightly to give protection from oncoming traffic
- When the wheel has been changed replace all equipment back in the vehicle in their original storage places

Have the puncture repaired as soon as possible, especially if the spare is a temporary wheel

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	65

4. Mobile phones – road traffic accident

RISK ASSESMENT:

CONTROL MEASURES

At no time is it permitted to drive the vehicle while holding a mobile phone or receiving / sending text messages

Training / instruction must be given to staff on the dangers of using a mobile phone while operating a vehicle

5. Truck Maintenance (company owned) – RTA due to poor maintenance

RISK ASSESMENT:

CONTROL MEASURES

Maintenance / service in place.

A bi-monthly Health & Safety Vehicle Review will be made on the van and a record kept in the Health & Safety folder

Staff will occasionally be requested to carry out an assessment on the vehicle.

Vehicles to include the following:

- Current Vehicle Service Record
- Fire Extinguisher
- Torch
- Reflective Jacket
- Bin for litter
- Warning Triangle
- Emergency Breakdown/Accident phone number
- First Aid Kit Accident number

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	66

4.21 Drivers

Hazards

Road Traffic Accidents

Risks Identified

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control measures

- Ensure your CPC is current.
- Follow safety instructions.
- Use seat belts at all times.
- Always drive within the speed limit.
- Reduce your speed to take account of weather conditions.
- Do not continue driving if tired. Take regular breaks. Get out of the vehicle and take some fresh air.
- Do not use stimulants to overcome tiredness.
- Always comply with local traffic conditions and follow requirements on driving time.
- Adjust your seating position so it is as upright as possible and so that you are using the head restraint. This will help to prevent whiplash in the event of an accident.
- Be familiar with the maintenance procedures for your vehicle and ensure it is kept in good running order. Are windows and mirrors clean? Are tyres, brakes, steering and lights in good condition?
- Do not drive under the effect of alcohol or drugs or if you have taken any medicines that could affect your driving. Follow the safety instructions for medicines and consult your doctor if in doubt.
- Make sure load is evenly distributed and properly secured.
- Ensure load cover is always in place when carrying loose loads such as Sand or Gravel.
- Ensure vision is not obstructed by pendants or stickers etc. on windows.
- Try to avoid parking your vehicle in positions that will obstruct traffic or visibility of other drivers or pedestrians.
- Ensure measures to prevent the vehicle moving are applied.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	67

4.22 Exposure to bio aerosols, dust and waste hazards

Hazards

- Gastroenteritis
- Weils Disease
- Hepatitis
- Equipment and machinery

Risks Identified

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Control measures

- Relevant environmental controls will be followed in addition to the controls below.
- Assessments relating to driving and manoeuvring to be followed in conjunction with this assessment.
- Relevant staff provided with vaccinations where reasonably practicable.
- All relevant employees provided with suitable personal protective equipment, that may include waterproof/abrasion-resistant gloves, footwear, eye and respiratory protection.
- Pumping/vacuum/sweeping system and couplings sealed to avoid leaks and accidental splashes.
- All pumping/vacuum/sweeping equipment maintained as per manufacturer's instructions.
- Adequate welfare facilities, including clean water, soap, nailbrushes, disposable paper towels, and where heavy contamination is foreseeable, showers. For remote locations portable welfare facilities will be provided if reasonably practicable.
- First aid kits and sterile wipes provided in all vehicles.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	68

LOGO HERE	ABC Company	
	Safety Statement	

4.23 Hand Arm Vibration

HAZARDS

White finger/hand

Etc.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES AND ADVICE

- Where possible machinery and equipment will be sourced with the lowest possible level of vibration.
- Where possible machinery and equipment will be sourced with good ergonomic protection for users.
- All machines and equipment will be serviced as per the manufacturer's instructions.
- The right sweeper will be used for the task in hand.
- Employees will be advise don the best method for manoeuvring pedestrian sweepers in order to minimise exposure to vibration.
- Where possible work shall be arranged so that there is variety between mechanical sweeping and manual sweeping.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	69

4.24 Weather and Outdoor working

HAZARDS

Sun
Rain
Ice
Etc.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES AND ADVICE

- Wear warm or waterproof clothing in poor weather.
- Be aware of possibility of ice.
- Protect yourself from too much sun.
- Wear a hat and light-coloured long-sleeved shirts and trousers.
- Put on sunscreen before going out and re-apply it often.
- Wear sunglasses to protect your eyes.
- Stay cool in the heat.
- Wear 'breathable' cotton fabrics.
- Drink LOTS of fluids; at least a cup every half hour when it's really hot.
- Alternate between water and sports drinks (isotonic fluids).
- Avoid alcohol and caffeine – they dry you out.

Pay attention to signs of heat exhaustion – Nausea, Dizziness, Headache, Blurred vision, Cold/wet (clammy) greyish skin or disorientation.

Watch for signs of heat stroke

Chills, Irritability and restlessness, Convulsions or rapid shallow breathing, Disorientation or euphoria, Red face and skin, Dry skin, Fainting.

Get help if you think you have heat exhaustion or stroke.

- Get medical help.
- Get out of the heat.
- Lie on your back with your feet up.
- Cool down with the help of wet cloths, alcohol wipes or immersion into tepid water.
- Replenish fluids; drink water and sport drinks (isotonic fluids).

Get rest. Recovery may take days.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	70

LOGO HERE

ABC Company

Safety Statement

4.25 Lone Worker

HAZARDS

Various

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

- By its nature Light Commercial Sweeping in particular is a lone activity therefore all controls in this statement must be followed.
- All staff will work to a schedule and will check in and out when on client sites.
- When on out of hours calls they must inform another person of their expected return time.
- All vehicles carry small first aid kit and a list of emergency numbers.
- All staff are issued with or use their own mobile phones. When entering an area of no coverage they must place a call to the office or client stating the completion time.
- No significant lifting is performed as part of the job so it is not necessary to have two people in attendance.
- Any staff with particular medical conditions that could be exacerbated by lone working will be assessed on an individual basis.
- At all times staff will be aware of how to raise the alarm for the location they are in.

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	71

LOGO HERE	ABC Company
	Safety Statement

PART 5

ANNUAL REPORT

ABC COMPANY

S A F E T Y S T A T E M E N T

The following is a report of progress with our Health and Safety Policy as required by Section 12(6) of the Safety Health and Welfare at Work Act 2005.

SAFETY TRAINING:

During the year, the following safety training courses were run:

- 1
- 2
- 3

External safety and health courses attended by our staff included:

- 1
- 2
- 3

NEW SAFETY ARRANGEMENTS

The following new safety arrangements were put in place during the year:

- 1
- 2
- 3

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	72

LOGO HERE

ABC Company
Safety Statement

Safety Statement Document Review

ABC COMPANY

To ensure the proper implementation of our Safety Systems we shall review the Safety Statement periodically and at least annually.

Date of Review	Signed for Company	Description of Changes	Date of update

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	73

LOGO HERE

ABC Company
Safety Statement

Part 6 Staff Sign Off

We the undersigned accept that:

- We have been shown the Safety Statement,
- We know where it is to be kept for review,
- We will adhere to all safety rules as set out by ABC Company
- We will not act in any way that could be harmful to ourselves or any other person.

Name in block	Signature	Date

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	74

LOGO HERE	ABC Company
	Safety Statement

Appendix

PREVIEW

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	75

LOGO HERE	ABC Company
	Safety Statement

Accident Report Form

Location:	Department / Division:
Date of Accident / Incident:	Date of Review:
Management present:	
Injured Party:	

Nature of loss	Nature and extent of actual or potential loss to people, property, process or the environment
Description	Description of the Accident / Incident (who, what, how, when)
Causes	Why did the Accident / Incident occur, (root, basic and immediate causes)?
Recommendations	Action to prevent recurrence, responsibility & action by dates:
Reporting	Distribution of investigation information organisation wide and statutory reporting / reply:

Revision number	Date	Document owner	Approved by	Page number
01	xx/xx/xx	Manager 1	Manager 2	76

LOGO HERE	ABC Company
	Safety Statement

Staff Suggestion form

SECTION A: To be completed by staff member with suggestion

Staff Member Name:_____	Position:_____
Date:_____	

Details of Suggestion:

SECTION B: to be completed by Manager 1

Action Taken:

Signature:_____

Date_____

LOGO HERE	ABC Company
	Safety Statement

Method Statement for Specific Locations

Client	Name:	Address:	Tel:
			E-mail:
Project name			
Description of the particular hazards or concerns for the sweeping task			
Local control measures for the above hazard if not already shown in Safety Statement Risk Assessments			
Address/Location:		Start Date/Time:	
		Finish Date/Time	
Personnel Involved in the preparation of this Method Statement and the sweeping operation.	Name	Position	
Supervisor:		Tel:	
Safety Officer		Tel:	
Vehicle type, size and description dedicate to this task.			
Any Key Adaptations?			
Other Essential Equipment:			

PART 8 Related Policies

8.1 ABC Company Environmental Policy

ABC Company will seek to promote the conservation and sustainable use of natural resources and to minimise environmental pollution in all their activities and, where possible, by it's influence over others. We will strive for continual improvement in this area and take all reasonable measures to ensure our activities do not cause pollution.

We will at all times comply with the law in the ROI and with local bye laws in so far as they apply to the Environment. When setting performance targets for the company we will include measureable environmental targets and objectives.

The objective of this policy will be to identify our activities, analyse our environmental aspects and minimise the environmental impact of all operations.

All company personnel are trained on the environmental policy and strategy and its importance in mitigating and improving the company's environmental performance.

Measurable targets and objectives can be identified under:

- Consideration being given to substitution of polluting substances with "greener" alternatives wherever possible.
- Steps will be taken to minimise smoke, dust, noise, and vibration nuisance - the potential for which will be identified during the assessment process.
- All waste disposals shall be carried out by registered carriers and removed to registered disposal sites.
- Documentation shall be held to demonstrate compliance with this.
- Wherever possible waste shall be recycled, reclaimed or reused.
- Liquid pollutants will not be allowed to enter watercourses.
- All liquid storage will be bunded wherever there is a risk.

This policy will be enforced by managerial vigilance and shall be subject to regular auditing and review.

This policy will be made available to the Public.

LOGO HERE	ABC Company
	Safety Statement

8.2 ABC Company Equality Policy

ABC Company are an equal opportunities Employer & thus, as laid out in this policy, seek to comply with all legal regulations & directives with regard to dealing with individuals or groups in a fair & legal way.

It is the policy of ABC Company to deal (employ, pay, consult, interview, speak to, and write to etc.) with any person/s equally & with dignity Regardless of disposition:

- Gender
- Race
- Colour
- Creed (Religious Persuasion)
- Nationality
- Disability or Physical Impairment
- Financial Status

ABC Company, its Management and Staff must uphold & comply with this policy. Failure to comply with this policy could result in immediate disciplinary action & possible dismissal.

Should any person cause harm, harass, sexually harass or disadvantage any of the above because of their disposition, that person/s will be reported to the Authorities & will be dealt with on a legal basis.

It is the overall policy of this company to practice equality & to be fair to all.

PREVIEW